

Material Safety Data Sheet
HydroBLAST Enhancer

Isopure Corp.

141 Citizens Blvd Simpsonville, KY 40067 Phone (502) 722-1000

Fax (502) 722-2244 www.isopure.com

Health:	1- Hazardous
Fire:	0- Minimal
Reactivity:	1- Slight

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev A

Section 1- Chemical Product and Company Identification

Product Chemical Name: A Chemical Mixture

Chemical Formula: Sodium Chloride

Manufacture: Isopure Corp

For Emergency: Chemtrec 24 hrs a day (800) 424-9300

Synonyms: Not Listed

Section 2 – Composition/Information on Ingredients

Ingredient	CAS Number	%Wt or N
Sodium Chloride	7647-14-5	-60-80
Inert Ingredient	7732-18-5	Balance

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

Section 2- Composition/Information on Ingredients

OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH
TWA	TLV Res	TWA	TVL	TWA	TLV	IDLH
Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
15 mg/m3	5 mg/m3	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

Description: White Crystalline Solid

Active Ingredient: The active ingredient is potassium peroxymonosulfate, KHSO [CAS-RN 10058023-8] commonly known as potassium Monopersulfate, which is present as a component of a triple salt with the formula.

Section 3- Hazard Information

*** Emergency Overview – Potential Health Effects***

Primary Entry Route: Inhalation, Digestion, and Skin Contact.

Target Organs: Eyes, Skin Respiratory System, Digestive system

Eye Contact: Eye Corrosion or Ulceration

Skin Contact: Irritant to Skin Burns or Ulceration

Inhalation: Nose Bleeds or Irritation of Upper Respiratory Passages

Ingestion: Inflammation or Damage to Stomach Lining.

Carcinogenicity: Not Considered to be.

Medical Conditions: None Listed.

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

Section 4 – First Aid Measures

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reuse.

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

Ingestion: If swallowed, do not induce vomiting. Immediately give glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

Section 5 – Fire Fighting Measures

Flash Point: Nonflammable

Burning Rate: N/A

Auto Ignition: N/A

LEL: N/A

UEL: N/A

Flammability: 0

Classification:

Extinguishing Media: Use that of surrounding fire.

Fire Fighting Instructions: Will release oxygen when heated, intensifying a fire. Acidic mist may be present; self-contained breathing apparatus should be used.

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

Section 6 – Accidental Release Measures

Safeguards (Personnel): Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Accidental Release Measures: Sweep up. Flush area with low-pressure water (see Disposal Considerations).

Section 7 – Handling and Storage

Handling: Do not inhale. Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Wash clothing after use.

Storage: Store in a cool, dry, well-ventilated area away from heat sources such as light fixtures or space heaters.

Section 8 – Exposure Controls/Personal Protection

Engineering Controls: Use sufficient ventilation to keep employee exposure below recommended limits.

**Personal Protective Equipment:
For Exposure to Dry Material:**

Eye/Face Protection: Wear safety glasses or coverall chemical splash goggles.

Respirators: A NIOSH approved air-purifying respirator with an appropriate particulate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Protective Clothing: Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants and jacket.

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

Section 8 – Exposure Controls/Personal Protection – Continued

For Exposure to Solutions:

Eye/Face Protection: Wear coverall chemical splash goggles. Additionally wear a face shield where the possibility exists for face contact due to splashing or spraying of material.

Respirators: A NIOSH approved air-purifying respirator with an appropriate particulate cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Protective Clothing: Where there is potential for skin contact, wear impervious clothing such as gloves boots or whole bodysuit.

Section 9 – Physical and Chemical Properties

Boiling Point: @760 mm Hg Decomposes
Vapor Pressure: NIL
Vapor Density: Not volatile
Melting Point: Decomposes
Evaporation Rate: (butyl acetate = 1)
Not volatile
Solubility in Water: 25.6 wt% @ 20 C (68F)
PH: 5.0-8.0
Order: Slight Halogen
Form: Granular; free flowing solid
Color: White
Specific Gravity: 2.6

Material Safety Data Sheet

Product: HydroBLAST Enhancer **MSDS:** 215030

Preparation Date: 2/15/02 **Rev:** A

Section 10 – Stability and Reactivity

Chemical Stability: Stable when handled and stored as indicated.

Incompatibility with Other Materials: The mixture with compounds containing halides or active halogens can cause release of the respective halogen if moisture is present.

Decomposition: Decomposes with heat or dampened, releasing oxygen and heat of decomposition.

Polymerization: Polymerization will not occur.

Section 11 – Toxicological Information

Animal Data:

Inhalation 4-hour LC50: >5 mg/l in rats
Skin absorption LD50: >11,000 mg/kg in rabbits
Oral: 2,000 mg/kg in rats

Single inhalation exposures produced nonspecific effects such as weight loss and irritation. Repeated inhalation exposures produced eye irritation and reversible corneal damage. By ingestion, the administration of large single doses produced nonspecific effects such as weight loss and irritation as well as gastric ulceration, necrosis, and hemorrhage.

Section 12 – Ecological Information

Aquatic Toxicity:

Potassium Sulfate: 96-hour Tlm, bluegill sunfish 3,500 mg/l

Magnesium Carbonate: 96-hour LC50, species unidentified >1,000 ppm

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

Section 13 – Disposal Conditions

Comply with Federal, State, and Local regulations. Check pH of liquid solutions prior to disposal a pH <2.0 may be a RCRA hazardous waste upon disposal due to the acidic pH characteristic of the solution. If approved, flush to sewer or waste treatment plant.

Section 14 – Transport Information

Proper Shipping Name: Sodium Chloride

Hazard Class:

UN Number:

DOT/IMO Label:

Packing Group:

Section 15 – Regulatory Information

U.S. Federal Regulations

Acute:	Yes
Chronic:	No
Fire:	No
Reactivity:	No
Pressure:	No

Lists:

SARA Extremely Hazardous Substance:	No
CERCLA Hazardous Material:	No
SARA Toxic Chemical:	No

Material Safety Data Sheet

Product: HydroBLAST Enhancer

MSDS: 215030

Preparation Date: 2/15/02

Rev: A

<i>Section 16 – Other Information</i>

Disclaimer: Judgments as to suitability of information herein for purchaser's purpose is necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Isopure Corp, service extends no warranties, suitability of such information for application to purchasers intended purpose or for the consequences if its use.

This product is manufactured for use in the Isopure MD Series of Reverse Osmosis machines. Isopure cannot validate the effectiveness of this product for use in other systems or applications.